



KEY FEATURES

- Water, air and corrosion resistant
- Can be easily installed with retrofit
- Excellent cable support and organization
- Made from recyclable materials
- Ideal for datacenters, telecom or electrical manholes
- Easy and fast to install
- Long lasting materials
- Professional and clean sealing method
- Fast lead times from California and Tennessee



Part of the Cal Am System, a fully comprehensive datacenter solution for sealing conduit, microduct and innerduct, and fiber optic cable

Whether a blank seal is needed, or multiple ports for passing through fiber or innerduct, the Cal Am System is the answer. The Wedge Seal Entry Seals are ideal for datacenters, telecom, and electrical manholes. Utilizing a split design, these seals can be installed almost anywhere along a cable network making them easy to install for retrofits.

Manufactured from a combination of polyvinyl chloride (PVC) and thermoplastic elastomer components, these materials will last long and are very cost-effective. These seals use stainless steel fasteners and can be installed with widely available hand-tools. In addition, these Entry Seals prevent the incursion of water and sedimentation into costly duct banks, raceway systems, and fiber networks while confining potential problems like dangerous vapors to their source. This seal provides a clean-install compared to customers using messy sealing foams or unreliable methods of sealing conduit.

The Entry Seal is available in three configurations: single port (Simplex), three-port (Triplex), and four-port (Quadplex). Our newest Entry Seal is designed specifically for smaller innerduct and fiber optic cable in a single port 50mm.

Many of our sizes are JackMoon® cross-referenced for a seamless part number conversion.


SPECIFICATIONS

PRODUCT NUMBER	JACKMOON® REFERENCE NUMBER	EACH SIZE (mm)	UNIT OF MEASURE	CONDUIT INNER DIAMETER (mm)	PORT DIAMETER RANGE (mm)
100mm Triplex Entry Seals					
7340-075		100	EACH	100.33 - 105.41	18.54 - 19.56
7340-080		100	EACH	100.33 - 105.41	19.81 - 20.83
7340-085		100	EACH	100.33 - 105.41	21.08 - 22.10
7340-090		100	EACH	100.33 - 105.41	22.35 - 23.37
7340-095		100	EACH	100.33 - 105.41	23.62 - 24.64
7340-100		100	EACH	100.33 - 105.41	24.89 - 25.91
7340-105	JM-TRI-40B122SG*	100	EACH	100.33 - 105.41	26.16 - 27.18
7340-110	JM-TRI-40B122SG*	100	EACH	100.33 - 105.41	27.43 - 28.45
7340-115	JM-TRI-40B122SG*	100	EACH	100.33 - 105.41	28.70 - 29.72
7340-120	JM-TRI-40B122SG* JM-TRI-40B136S*	100	EACH	100.33 - 105.41	29.97 - 30.99
7340-125	JM-TRI-40B136S*	100	EACH	100.33 - 105.41	31.24 - 32.26
7340-130	JM-TRI-40B136S* JM-TRI-40B142SG*	100	EACH	100.33 - 105.41	32.51 - 33.53
7340-135	JM-TRI-40B136S* JM-TRI-40B142SG* JM-TRI-40B150SG*	100	EACH	100.33 - 105.41	33.78 - 34.80
7340-140	JM-TRI-40B150SG*	100	EACH	100.33 - 105.41	35.05 - 36.07
7340-145	JM-TRI-40B150SG*	100	EACH	100.33 - 105.41	36.32 - 37.34
7340-150	JM-TRI-40B167S*	100	EACH	100.33 - 105.41	37.59 - 38.61
7340-155	JM-TRI-40B167S*	100	EACH	100.33 - 105.41	38.86 - 39.88

*Please call Cal Am to confirm dimensions for the JackMoon cross products.

**Please email sales@calam.net to order custom size entry seals.

Visit [CalAm.net](https://calam.net)
<https://calam.net/electrical-broadband/wedge-seals/>




SPECIFICATIONS

PRODUCT NUMBER	JACKMOON® REFERENCE NUMBER	EACH SIZE (mm)	UNIT OF MEASURE	CONDUIT INNER DIAMETER (mm)	PORT DIAMETER RANGE (mm)
7340-160	JM-TRI-40B167S*	100	EACH	100.33 - 105.41	40.13 - 41.15
7340-165	JM-TRI-40B167S*	100	EACH	100.33 - 105.41	41.40 - 42.42
7340-XXX		100	EACH	100.33 - 105.41	CUSTOM**
125mm Triplex Entry Seals					
7350-075		125	EACH	125.73 - 130.81	18.54 - 19.56
7350-080		125	EACH	125.73 - 130.81	19.81 - 20.83
7350-085		125	EACH	125.73 - 130.81	21.08 - 22.10
7350-090		125	EACH	125.73 - 130.81	22.35 - 23.37
7350-095		125	EACH	125.73 - 130.81	23.62 - 24.64
7350-100		125	EACH	125.73 - 130.81	24.89 - 25.91
7350-105		125	EACH	125.73 - 130.81	26.16 - 27.18
7350-110		125	EACH	125.73 - 130.81	27.43 - 28.45
7350-115		125	EACH	125.73 - 130.81	28.70 - 29.72
7350-120		125	EACH	125.73 - 130.81	29.97 - 30.99
7350-125		125	EACH	125.73 - 130.81	31.24 - 32.26
7350-130		125	EACH	125.73 - 130.81	32.51 - 33.53
7350-135		125	EACH	125.73 - 130.81	33.78 - 34.80
7350-140		125	EACH	125.73 - 130.81	35.05 - 36.07
7350-145		125	EACH	125.73 - 130.81	36.32 - 37.34

*Please call Cal Am to confirm dimensions for the JackMoon cross products.

**Please email sales@calam.net to order custom size entry seals.

Visit [CalAm.net](https://calam.net)
<https://calam.net/electrical-broadband/wedge-seals/>




SPECIFICATIONS

PRODUCT NUMBER	JACKMOON® REFERENCE NUMBER	EACH SIZE (mm)	UNIT OF MEASURE	CONDUIT INNER DIAMETER (mm)	PORT DIAMETER RANGE (mm)
7350-150	JM-TRI-50B167SG*	125	EACH	125.73 - 130.81	37.59 - 38.61
7350-155	JM-TRI-50B167SG*	125	EACH	125.73 - 130.81	38.86 - 39.88
7350-160	JM-TRI-50B167SG*	125	EACH	125.73 - 130.81	40.13 - 41.15
7350-165	JM-TRI-50B167SG* JM-TRI-50B177SG*	125	EACH	125.73 - 130.81	41.40 - 42.42
7350-170	JM-TRI-50B177SG*	125	EACH	125.73 - 130.81	42.67 - 43.69
7350-175	JM-TRI-50B177SG*	125	EACH	125.73 - 130.81	43.94 - 44.96
7350-180		125	EACH	125.73 - 130.81	45.21 - 46.23
7350-XXX		125	EACH	125.73 - 130.81	CUSTOM**
150mm Triplex Entry Seals					
7360-075		150	EACH	151.38 - 156.21	18.54 - 19.56
7360-080		150	EACH	151.38 - 156.21	19.81 - 20.83
7360-085		150	EACH	151.38 - 156.21	21.08 - 22.10
7360-090		150	EACH	151.38 - 156.21	22.35 - 23.37
7360-095		150	EACH	151.38 - 156.21	23.62 - 24.64
7360-100		150	EACH	151.38 - 156.21	24.89 - 25.91
7360-105		150	EACH	151.38 - 156.21	26.16 - 27.18
7360-110		150	EACH	151.38 - 156.21	27.43 - 28.45
7360-115		150	EACH	151.38 - 156.21	28.70 - 29.72
7360-120	JM-TRI-60B136SG*	150	EACH	151.38 - 156.21	29.97 - 30.99

*Please call Cal Am to confirm dimensions for the JackMoon cross products.

**Please email sales@calam.net to order custom size entry seals.

Visit [CalAm.net](https://calam.net)
<https://calam.net/electrical-broadband/wedge-seals/>




SPECIFICATIONS

PRODUCT NUMBER	JACKMOON® REFERENCE NUMBER	EACH SIZE (mm)	UNIT OF MEASURE	CONDUIT INNER DIAMETER (mm)	PORT DIAMETER RANGE (mm)
7360-125	JM-TRI-60B136SG*	150	EACH	151.38 - 156.21	31.24 - 32.26
7360-130	JM-TRI-60B136SG*	150	EACH	151.38 - 156.21	32.51 - 33.53
7360-135	JM-TRI-60B136SG*	150	EACH	151.38 - 156.21	33.78 - 34.80
7360-140		150	EACH	151.38 - 156.21	35.05 - 36.07
7360-145		150	EACH	151.38 - 156.21	36.32 - 37.34
7360-150	JM-TRI-60B167SG*	150	EACH	151.38 - 156.21	37.59 - 38.61
7360-155	JM-TRI-60B167SG*	150	EACH	151.38 - 156.21	38.86 - 39.88
7360-160	JM-TRI-60B167SG*	150	EACH	151.38 - 156.21	40.13 - 41.15
7360-165	JM-TRI-60B167SG* JM-TRI-60B177SG*	150	EACH	151.38 - 156.21	41.40 - 42.42
7360-170	JM-TRI-60B177SG*	150	EACH	151.38 - 156.21	42.67 - 43.69
7360-175	JM-TRI-60B177SG*	150	EACH	151.38 - 156.21	43.94 - 44.96
7360-180		150	EACH	151.38 - 156.21	45.21 - 46.23
7360-185	JM-TRI-60B196SG*	150	EACH	151.38 - 156.21	46.48 - 47.50
7360-190	JM-TRI-60B196SG*	150	EACH	151.38 - 156.21	47.75 - 48.77
7360-195	JM-TRI-60B196SG*	150	EACH	151.38 - 156.21	49.02 - 50.04
7360-XXX		150	EACH	151.38 - 156.21	CUSTOM**

*Please call Cal Am to confirm dimensions for the JackMoon cross products.

**Please email sales@calam.net to order custom size entry seals.

Visit [CalAm.net](https://calam.net)
<https://calam.net/electrical-broadband/wedge-seals/>



SPECIFICATIONS

PRODUCT NUMBER	JACKMOON® REFERENCE NUMBER	EACH SIZE (mm)	UNIT OF MEASURE	CONDUIT INNER DIAMETER (mm)	PORT DIAMETER RANGE (mm)
200mm Triplex Entry Seals					
7380-240		200	EACH	196.60 - 201.68	60.45 - 61.49
7380-245		200	EACH	196.60 - 201.68	61.72 - 62.74
7380-250		200	EACH	196.60 - 201.68	62.99 - 64.01
7380-255		200	EACH	196.60 - 201.68	64.26 - 65.28
7380-260		200	EACH	196.60 - 201.68	65.53 - 66.55
7380-265		200	EACH	196.60 - 201.68	66.80 - 67.82
7380-270		200	EACH	196.60 - 201.68	68.07 - 69.01
7380-XXX		200	EACH	196.60 - 201.68	CUSTOM**

*Please call Cal Am to confirm dimensions for the JackMoon cross products.

**Please email sales@calam.net to order custom size entry seals.

For more technical information and/or to download the
Marketing Technical Sheet for each of these products,
please visit the Entry Seal Product Webpage: <https://calam.net/electrical-broadband/wedge-seals/>

ABOUT CAL AM MANUFACTURING

Cal Am Manufacturing® specializes in products for use in underground electrical and broadband applications. Founded in Southern California over thirty-five (35) years ago, Cal Am designs and produces fittings and sealing devices to serve utilities, municipalities, government facilities, data centers, and fiber optic projects, through a worldwide network of distributors.

TEST OUR PRODUCT

Learn more at: <https://calam.net/test-our-products>

Corporate Office:
El Cajon, CA 92020

Phone +1.619.336.9550
Fax +1.619.336.9549

sales@calam.net
marketing@calam.net
accounting@calam.net

www.CalAm.net